## **Advantage Auto & Trailer Sales**

Phone: 2047298989 770 Highland Ave. Brandon, MB

Email: tlacey@aats.ca



## 2024 Wilson Trailer Company Foreman Gooseneck Livestock Trailer

Stock#: 566518	Year: 2024	Manufacturer: Wilson Trailer Company
Width: 102" or 8'6"	Length: 360" or 30'0"	Color: ALUMINUM
#Axles: 3	Axle Capacity: 7000.00	
URL: https://aats.ca/2024-wilson-trailer-company-foreman-gooseneck-livestock-trailer-bJdp.html		

Price	\$68,700.00
Sales Price	\$66,124.00

## **Description**

Foreman Gooseneck Livestock Trailers

The Foreman gooseneck livestock trailer offers you all of Wilson Trailer's great standard features plus the full compliment of Wilson's available options -- You have the freedom to equip your new stock trailer to your exact specification.

Choose from a wide variety of side hole patterns, rear ends, and divide gates. Add even more hauling capacity to your livestock trailer by ordering our double deck option.

-SPECIFICATIONS-

Length

30 ft. nominal, plus 7 ft. gooseneck

Width

8.5 FT

Height

6 ft.-8 in. inside height. (Heights greater than 6ft.-8 in. are optional)

Coupler

2-5/16 in. diameter ball-type with adjustable coupler height.
Front End
Tapered front. (Beveled and Radius fronts are optional)
Sides
Formed offset sheet and post sections of aluminum with two sizes of punched and double-embossed oval openings. Formed posts on 21" centers.
Choice of Side Patterns: A,B,C,D, etc.
Roof
One-piece, stretched aluminum.
Rear Door
full swing with slider
Rear End
Full-width rubber bumper.
Floor
.110" thick aluminum tread plate with 4 longitudinal corrugations. HD Crossbars on 9" centers.
12,000 lb. drop leg with high-speed crank.
Brake Breakaway Kit
Accidental disconnect safety feature.
Axles 3/7000 pound
Spare Tire Carrier
Side Door
Lights
Meets or exceeds I.C.C. standards.
Header
Extruded aluminum.
Crowd Gate

Nose Gate

Extruded aluminum with horizontal protective lip.
Finish natural
Steel coated with black Corsol(tm) anti-corrosive metal treatment; all aluminum left natural.

Rubrail